

# Material Safety Data Sheet

According to 1272/2008/WE (CLP), 2015/830/EU

Date of compilation: 12.08.2014 Date of update: 17.08.2020 PAGE: 1/4

VERSION: 2.0

## NANOMAX FOR WOODEN FLOORBOARDS

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 **Product identifier:** NANOMAX FOR WOODEN FLOORBOARDS

1.2 **Appropriate identified uses of the substance or mixture and uses advised against:**

1.2.1 Appropriate uses: professional, efficient concentrate for cleaning and preserving wooden floorboards

1.2.2 Inappropriate uses: Undefined

1.3 **Details of the supplier of the safety data sheet:**

1.3.1 Producer: **DYNAMIC TECHNOLOGY SP. Z O.O. (LLC.)**

1.3.2 Address: ul. Fabryczna 12; 32-500 Chrzanów

1.3.3 Telephone no. : +48 32 611 09 38

1.3.4 e-mail address: [think@dynamic.pl](mailto:think@dynamic.pl)

1.4 **Emergency telephone no.:** +48 32 611 09 38 (weekdays: 8<sup>00</sup>- 15<sup>00</sup>), 112

### SECTION 2: HAZARDS IDENTIFICATION

2.1 **Classification of the substance or mixture:**

2.1.1. Hazardous to humans: Product is classified as dangerous.

Eye Irrit. 2- Eye irritation, category 2

H319- Causes serious eye irritation

2.1.2 Environmental hazards: Product is not classified as dangerous to the environment.

2.1.3 Hazards imposed by physical or chemical properties: Product is not classified as dangerous.

2.2. **Label elements:**

2.2.1 Pictograms identifying hazard:



2.2.2 Warning: WARNING.

2.2.3 Names of hazardous ingredients on label: Non-applicable.

2.2.4 Hazard statements: H319- Causes serious eye irritation.

2.2.5 Precautionary statements:

P280- Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313- If eye irritation persists: Get medical advice/attention. P405- Store locked up.

2.2.6 Additional information: contains: non-ionic surfactants- under 5%, anionic surfactants- under 5%, EDTA and it's salts- under 5%, phosphonians- under 5%, fragrance compositions: limonene, linalool. Product designated for professional use.

2.3 **Other hazards:** No information on meeting PBT/vPvB criteria in accordance to annex XIII EU Regulation no 253/2011 from 15.03.2011. Research has not been conducted.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 **Substances:** Non-applicable

3.2 **Mixtures:**

Substance identification	Concentration range	CAS number	WE Number	Classification in accordance to 1272/2008/WE
Ethanol Registration no.: 01-2119457610-43-xxxx	1%-3%	64-17-5	200-578-6	Flam. Liq.2, H225 Eye Irrit.2, H319
2-(2-butoxyethoxy)ethanol Registration no.: 01-2119475104-44-xxxx	2%-4%	112-34-5	203-961-6	Eye Irrit.2, H319
Tetrasodium ethylenediaminetetraacetate Registration no.: 01-2119486762-27-xxxx	0,5%	64-02-8	200-573-9	Acute Tox.4, H302 Acute Tox.4, H332 Eye Dam.1, H318 STOT RE 2, H373
Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts Registration no.: 01-2119488639-16-0010	0,2%	68891-38-3	500-234-8	Skin Irrit.2, H315 Eye Dam.1, H318 Aquatic Chronic 3, H412

# **Material Safety Data Sheet**

According to 1272/2008/WE (CLP), 2015/830/EU

Date of compilation: 12.08.2014 Date of update: 17.08.2020 PAGE: 2/4

VERSION: 2.0

## **NANOMAX FOR WOODEN FLOORBOARDS**

### **SECTION 4: FIRST AID MEASURES**

#### **4.1 Description of first aid measures:**

4.1.1 Ingestion: If swallowed rinse mouth. Reach the nearest medical facility to seek treatment. Have product label at hand. If spontaneous vomiting occurs, hold head beneath hips.

4.1.2 Inhalation: Remove from place of exposure to fresh air. Let subject rest and relax. In case of coughing, vomiting, nausea, wheezing seek medical attention. If unconscious put in lateral position..

4.1.3. Skin contact: Remove contaminated clothing. Wash skin with warm water and soap. In case of skin irritation seek medical advice.

4.1.4. Eye contact: Remove contact lenses immediately. Thoroughly rinse eyes with large amount of water, turning eyelids inside out. In case of persisting symptoms provide medical attention.

#### **4.2 Acute and delayed symptoms:**

4.2.1 Eye contact: Irritation, reddening and tearing may occur.

4.2.2 Skin contact: Skin changes or allergic reactions can occur.

**4.3 Indication of any immediate medical attention and special treatment needed:** Symptomatic treatment.

### **SECTION 5: FIRE-FIGHTING MEASURES**

#### **5.1 Extinguishing media:**

5.1.1 Suitable extinguishing media: Use conventional media, depending on surroundings.

5.1.2 Unsuitable extinguishing media: Dense stream of water.

**5.2 Specific hazards related to ingredients:** Unknown. Avoid breathing thermal decomposition products.

**5.3 Advice for firefighters:** Use regular fire-protection equipment. Do not stay in environment in danger of fire without chemical resistant equipment and breathing apparatus with independent air supply. If not too dangerous remove containers which are exposed to fire or cool with water spray from safe distance.

### **SECTION 6: ACCIDENTAL RELEASE GUIDELINES**

#### **6.1 Personal precautions, protective equipment and emergency procedures:**

6.1.1 For non-personnel eliminating effects of accident: Restrict access of bystanders to area of accident until it is clear of danger. In case of large spill isolate exposed area. Avoid prolonged contact with skin. Avoid contact with eyes. Wear appropriate protective equipment. Act in accordance to health and safety regulations for handling chemicals.

6.1.2 For personnel eliminating effects of accident: Eliminating the breakdown and it's effects can only be carried out by specially trained personnel. Use appropriate chemical-resistant personal protection equipment.

**6.2 Environmental safety precautions:** Prevent drinking water, soil, sewage contamination. If possible eliminate spill (ie. seal leaking container, close off water source, encapsulate leaking container in a sealed one). Contact appropriate public services if needed.

**6.3 Methods and materials for containment and cleaning up:** Wipe small spills with paper towel. In case of large spills: stop leakage if safe. Rampart area of spill and fill with absorbent material like sand, dirt and collect in a sealed, marked container. Wash exposed area with large amount of water.

**6.4 References to other sections:** waste disposal guidelines – section 13, personal protection equipment – section 8.

### **SECTION 7: HANDLING AND STORAGE**

**7.1 Precautions for safe handling:** Act in accordance to health and safety regulations. Avoid eye contact. Do not inhale fumes or vapours. Wash hands before break and after work. Keep unused containers sealed. Maintain appropriate ventilation of area where product is used. Use product according to guidelines on the label.

**7.2 Conditions of safe storage, and information on incompatibility with other substances:** Keep well sealed away from sources of ignition. Keep away from children. Do not store with food products.

### **SECTION 8. EXPOSURE CONTROL/PERSONAL PROTECTION**

**8.1 Control parameters:** Information based on ingredients:

Ethanol NDS 1900 mg/m<sup>3</sup>

2-(2-butoxyethoxy)ethanol NDS 67 mg/m<sup>3</sup> NDSC<sub>h</sub> 100 mg/m<sup>3</sup>

**8.2 Exposure control:** Act in accordance to health and safety regulations. Do not eat, drink or smoke while working. Avoid eye contact. Ensure proper ventilation. Provide eye-cleaning facilities near work station. Immediately remove contaminated clothing.

8.2.1 Respiratory tract protection: Use when there is no proper ventilation.

8.2.2 Eye/face protection: Use protective eyewear.

8.2.3 Skin protection: Use protective gloves.

8.2.4 Technical protection measures: Room ventilation.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

# **Material Safety Data Sheet**

According to 1272/2008/WE (CLP), 2015/830/EU

Date of compilation: 12.08.2014 Date of update: 17.08.2020 PAGE: 3/4

VERSION: 2.0

## **NANOMAX FOR WOODEN FLOORBOARDS**

### **9.1 Information on basic physical and chemical properties**

<b>Appearance:</b>	liquid
<b>Colour:</b>	characteristic
<b>Smell:</b>	characteristic for used composition
<b>Smell threshold:</b>	Undefined
<b>pH:</b>	10
<b>Melting/freezing point:</b>	no data
<b>Boiling point:</b>	no data
<b>Flash point temperature:</b>	no data
<b>Evaporation rate :</b>	no data
<b>Flammability:</b>	no data
<b>Upper/lower flammability/ explosiveness threshold:</b>	non-applicable
<b>Vapour pressure:</b>	no data
<b>Vapour density:</b>	no data
<b>Relative density:</b>	1,00 g/ml
<b>Solubility:</b>	very good in water
<b>Coefficient of n-octanol/water:</b>	no data
<b>Self-ignition temperature :</b>	non-applicable
<b>Decomposition temperature:</b>	no data
<b>Viscosity:</b>	no data
<b>Explosive properties:</b>	non-applicable
<b>Oxidizing properties:</b>	non-applicable
<b>9.2 Other information:</b>	no data

### **SECTION 10: STABILITY AND REACTIVITY**

**10.1 Reactivity:** Tests have not been conducted.

**10.2 Chemical stability:** Stable in regular use conditions.

**10.3 Risk of dangerous reactions:** No data.

**10.4 Conditions which are to be avoided:** No data.

**10.5 Incompatible substances:** No data.

**10.6 Hazardous decomposition products:** No data.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### **11.1 Information on toxicological effects:**

a)acute toxicity: Based on available data the product is not qualified for classification.

b)causticity/skin irritation: Based on available data the product is not qualified for classification.

c)severe eye damage/eye irritation: Causes serious eye irritation.

d)skin or respiratory tract Allergenic effects: Based on available data the product is not qualified for classification.

e)CMR effects (carcinogenicity, mutagenicity, reproductive toxicity): Based on available data the product is not qualified for classification.

h)specific target organ toxicity (STOT) – single exposure: Based on available data the product is not qualified for classification.

i)specific target organ toxicity (STOT) – repeated exposure: Based on available data the product is not qualified for classification.

j)hazards caused by aspiration: Based on available data the product is not qualified for classification.

### **SECTION 12: ECOLOGICAL INFORMATION**

**12.1 Toxicity:** Product is not classified as hazardous to the environment. Respect local laws when releasing product solutions into sewage.

**12.2 Stability and degradability:** Product stable in regular storage and handling conditions.

**12.3 Bioaccumulative potential:** No data

**12.4 Mobility in soil:** No data.

**12.5 PBT and vPvB properties:** No data

**12.6 Other harmful effects:** No data.

# **Material Safety Data Sheet**

According to 1272/2008/WE (CLP), 2015/830/EU

Date of compilation: 12.08.2014 Date of update: 17.08.2020 PAGE: 4/4

VERSION: 2.0

## **NANOMAX FOR WOODEN FLOORBOARDS**

### **SECTION 13: WASTE DISPOSAL MANAGEMENT**

#### **13.1 Methods for waste disposal:**

13.1.1 Recommendations for mixture disposal: Act accordingly to local laws. Assign waste code at place of use.

13.1.2 Recommendations for empty containers: Recycle/dispose of according to local laws. Only completely empty containers can be recycled.

### **SECTION 14: TRANSPORT INFORMATION**

**14.1 UN Number:** Non-applicable. Product is not classified as hazardous in transport.

**14.2 Correct shipping name/class:** Non-applicable

**14.3 Transport hazard class:** Non-applicable

**14.4 Packaging group:** Non-applicable

**14.5 Environmental hazard:** Mixture does not impose threat to environment.

**14.6 Special safety precautions for handlers:** Non-applicable

**14.7 Loose transport according to annex II to MARPOL convention and the IBC codex:** Non-applicable

### **SECTION 15: REGULATORY INFORMATION**

#### **15.1 Safety, health and environmental protection legal provisions, specific for the substance and mixture:**

1272/2008 / EC Regulation of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548 / EEC and 1999/45 / EC and amending Regulation (EC) No. 1907/2006 (Journal of Laws UE L 353 of 31 December 2008) Act of November 24, 2017 on the publication of the uniform text of the Act on chemical substances and mixtures (Journal of Laws 2018 item 143)

Announcement of the Minister of Health of 2 March 2015. on the publication of a uniform text of the regulation of the Minister of Health on labelling packaging of hazardous substances and mixtures and certain mixtures (Journal of Laws of 2015, item 450)

Regulation of the Ministry of Labour and Social Policy of June 6, 2014. on the highest allowable concentrations and intensities of factors harmful to health in the work environment (Journal of Laws 2014, item 817) Government Statement of February 18, 2019 on the entry into force of amendments to Annexes A and B to the European Agreement on the International Carriage of Dangerous Goods by Road (ADR), drawn up in Geneva on September 30, 1957 (Journal of Laws No. 2019, Item 769)

Regulation of the Minister of Economy of December 21, 2005 on the essential requirements for personal protective equipment (Journal of Laws No. 259, item 2173)

#### **15.2 Chemical safety assessment:**

The manufacturer did not assess chemical safety of the mixture.

### **SECTION 16: OTHER INFORMATION**

The information contained in this Safety Data Sheet has been based on sources and technical knowledge as well as applicable law at European and national level, and its accuracy cannot be fully guaranteed. This information cannot be treated as a guarantee of product properties, as it is only a description of safety requirements. The methods and working conditions of the users of this product are beyond the reach of our knowledge and control, so the user is solely responsible for taking appropriate measures to comply with legal requirements regarding the handling, storage, use and disposal of chemical products. The information contained in this Safety Data Sheet applies only to the product that must not be used for purposes other than those specified therein. Every employee handling this product should be trained in appropriate workplace health and safety procedures.

Zwroty użyte w karcie charakterystyki:

H225- Highly flammable liquid and vapours

H302- Harmful if swallowed

H315- Causes skin irritation

H318- Causes serious eye damage

H319- Causes serious eye irritation

H332-Harmful if inhaled

Acute Tox.4 – Acute toxicity, category 4

Skin Irrit.2 – Skin irritation, category 2

Eye Dam.1 – Eye damage, category 1

Eye Irrit.2- Eye irritation, category 2

Flam. Liq.2- Flammable liquid, category 2

Classification method (WE) 1272/2008 (CLP)

Eye Irrit.2, H319- classification based on calculation